

Individual Disability Insurance

Underwriting Guide




Table of Contents

Common Terms	3
Common Restrictions	3
Build Chart	4
Ratings in Percentages	4
Conditions	5
Anemia	5
Breast Implants	5
Cardiovascular Disorders	6
Chronic Pain	10
Diabetes	10
Ear Disorders	11
Endocrine	12
Eye Disorders	12
Fibromyalgia	13
Gastrointestinal Disorders	14
Kidney Disorders/Urologic Disorders	15
Liver and Pancreas Disorders	16
Lyme Disease	16
Marijuana	17

Mental Nervous Disorders	1
Musculoskeletal Disorders	1
Neurological Disorders	2
Obesity	2
Obstetrics and Gynecology	2
Organ Transplant Recipient	2
Respiratory Conditions	2
Retroviruses	2
Scleroderma	2
Skin Conditions	2
Systemic Lupus Erythematosus (SLE)	2
Thrombosis	3
Travel & Visas	3
Tumors and Cancer	3
Other Ineligible Circumstances	3

This guide provides potential underwriting outcomes for a variety of conditions. In addition to an applicant's condition, we consider all details such as occupation, treatments received and comorbidities, if any. This is only a guide and final underwriting decisions will be based on assessments of all risk factors.

Common Terms

The terms "rating" and "postpone" are used throughout this guide. "Rating" refers to a substandard premium rating. In these cases, the premium charged will be increased by the percentage indicated. A potential outcome of "postpone" means an applicant may be eligible in the future. This is usually when a period of time has passed or an event has occurred.

Common Restrictions

Restrictions may be placed on policies with substandard premium ratings or other modifications, such as:

- Policies offered with a substandard premium rating of more than 50% are eligible for a maximum benefit period of five years.
- Policies offered with a substandard premium rating of more than 75% are eligible for a maximum benefit period of two years.
- The Benefit Increase Rider and waiting periods less than 90 days are not available for policies with a substandard premium rating of any amount or if the benefit period is restricted to a maximum of five years, as indicated in this guide.

In all cases, you may contact **IDI Underwriting** to discuss a client's specific circumstances and potential outcomes.



Build Chart

Use the build chart below for both males and females. In cases of overweight or borderline overweight individuals, in addition to the height and weight, additional factors may influence the underwriting decision, including occupation, age, and other medical histories or disorders.

Ratings in Percentages

	Weight in pounds									
Height	25-50%*	0-25%*	Standard Rates	25%	50%	75%	100%	125%	150%	Decline
4'10"	81	88	89-162	163	178	187	197	202	206	211
4'11"	84	91	92-168	169	184	194	204	209	214	219
5'0"	87	94	95-173	174	190	200	211	216	221	226
5'1"	90	97	98-179	180	197	207	218	223	228	234
5'2"	93	100	101-185	186	203	214	225	230	236	241
5'3"	96	104	105-191	192	210	221	232	238	244	249
5'4"	99	107	108-197	198	216	228	240	245	251	257
5'5"	102	110	111-204	205	223	235	247	253	259	265
5'6"	105	114	115-210	211	230	242	255	261	267	273
5'7"	108	117	118-216	217	237	250	263	269	275	282
5'8"	112	121	122-223	224	244	257	270	277	284	290
5'9"	115	124	125-229	230	251	265	278	285	292	299
5'10"	118	128	129-236	237	259	273	287	294	301	308
5'11"	122	132	133-243	244	266	280	295	302	309	316
6'0"	125	136	137-250	251	274	288	303	311	318	325
6'1"	129	139	140-257	258	281	296	312	319	327	334
6'2"	132	143	144-264	265	289	305	320	328	336	344
6'3"	136	147	148-271	272	297	313	329	337	345	353
6'4"	140	151	152-278	279	305	321	338	346	354	362
6'5"	143	155	156-286	287	313	330	347	355	364	372
6'6"	147	159	160-293	294	321	338	356	364	373	382
6'7"	151	163	164-301	302	329	347	365	374	383	392
6'8"	155	167	168-309	310	338	356	374	383	392	401
6'9"	159	172	173-316	317	346	365	384	393	402	412

^{*} Lower rating may be considered only for non-smokers with history of stable weight for two years and no gastrointestinal or other related conditions or concerns.

Conditions

Anemia

Туре	Attribute 1	Attribute 2	Potential Outcome
Aplastic	All	N/A	Decline
	Without splenectomy	N/A	Decline
Hamalidia		0-1 year since procedure	Postpone
Hemolytic	With splenectomy	More than 1 year since procedure, full recovery	Usually no modification
	Mild to moderate	0-2 years since diagnosis, current	0-50% rating
	Wild to Moderate	normal labs	0 3070 rating
Iron Deficiency	Severe	0-2 years since diagnosis	Postpone
non benciency		Regular follow-up with consistently	
	All	normal lab results for more than 2	Usually no modification
		years	
		0-1 year since diagnosis	Postpone
		1-2 years since diagnosis, current	50-100% rating, max 2-year BP
Pernicious	Present	normal labs	30-100% fatting, max 2-year BF
		More than 2 years since diagnosis,	0-75% rating
		current normal labs	0-7370 fatting
	Thalassemia Major	All	Decline
Thalassemia	Thalassemia Minor	With current normal labs	Usually no modification
	Others	N/A	Contact IDI Underwriting
All Others			Contact IDI Underwriting

Breast Implants

Туре	Attribute 1	Attribute 2	Potential Outcome
Breast Implants	Cosmetic	Surgery planned, not completed	Postpone
		0-1 year since surgery completed or	
		more than 1 year since surgery with	Exclusion
		complications	
		More than 1 year since surgery, full	
		recovery, no complications	Usually no modification

Cardiovascular Disorders

Туре	Attribute 1	Attribute 2	Attribute 3	Potential Outcome
	Not surgically treated	All	N/A	Decline
	Aortic, surgically treated, no	0-1 year since surgery	N/A	Postpone
	residual or resulting problems or	1-5 years since surgery	N/A	50% rating
Aneurysm — Aortic or	conditions, no complications, full recovery	More than 5 years since surgery	N/A	Usually no modification
_	Peripheral, surgically treated, no	0-1 year since surgery	N/A	Postpone
Peripheral	residual or resulting problems or	1-3 years since surgery	N/A	25-75% rating
	conditions, no complications, full recovery	More than 3 years since surgery	N/A	Usually no modification
	Aortic Dissection	Present, medical treatment only	N/A	Decline
	Others	N/A	N/A	Contact IDI Underwriting
Aortic Regurgitation	N/A	Mild	N/A	50-75% rating, max 2-year BP
(Insufficiency)	N/A	Moderate to severe	N/A	Decline
	Others	N/A	N/A	Contact IDI Underwriting
		Up to age 40	N/A	Decline
		Mild, over age 40	N/A	50-100% rating, max 2- or
	Unoperated	inia, evel age 10	1071	5-year BP
Aortic Stenosis	Chioporatou	Moderate, over age 40	N/A	100-150% rating, max 2-year
				BP
		Severe or with aortic regurgitation	N/A	Decline
	With valve replacement	N/A	N/A	Decline

Туре	Attribute 1	Attribute 2	Attribute 3	Potential Outcome	
		Smoker or with history of			
	All	endarterectomy, angioplasty,	N/A	Decline	
		bypass surgery			
		Up to age 50 or severe disease at	NI/A	Dealine	
Artoriocolorocio	Aorto	all ages	N/A	Decline	
Arteriosclerosis,	Aorta	Over age 50 mederate	NI/A	50-100% rating, max 2- or	
Atherosclerosis,		Over age 50 — moderate	N/A	5-year BP	
Carotid Artery Disease	Cerebral Arteries	All	N/A	Decline	
		Madayata	NI/A	25-100% rating, max 2- or	
	Peripheral Arteries	Moderate	N/A	5-year BP	
		Severe	N/A	Decline	
	Others	N/A	N/A	Contact IDI Underwriting	
	All	Not fully evaluated to rule out other	N/A	Destrons	
		heart disease	IN/A	Postpone	
		Underlying heart disease			
		diagnosed; or with history of	NI/A	Usually decline	
		alcohol abuse; or with other	N/A		
		complications			
		Treated surgically (e.g., ablation)	0-2 years since surgery	50%, 5-year BP	
		with complete recovery and no	Over O veere since		
		further arrhythmias. Not caused by	Over 2 years since	0-25%, 5-year BP	
Atrial Fibrillation-		underlying heart disease.	surgery		
Atrial Flutter		Fully evaluated. Not souged by	0-2 years since episode	50%, 5-year BP	
	Single Episode	Fully evaluated. Not caused by	Over 2 years since	Llaughy no modification	
		underlying heart disease.	episode	Usually no modification	
			0-2 years since first	50%, 5-year BP	
	Paroxysmal with 4 or less episodes	Fully evaluated. Not caused by	episode	50%, 5-year BF	
	per year and no complications	underlying heart disease.	Over 2 years since first	25%, 5-year BP	
			episode	2070, 0-year DF	
	Chronic, or paroxysmal with	Fully evaluated. Not caused by			
	, ,	underlying heart disease. No	N/A	50%, 5-year BP	
	greater than 4 episodes per year	complications.			

Туре	Attribute 1	Attribute 2	Attribute 3	Potential Outcome	
		Physically demanding occupation	N/A	Decline	
	Not surgically corrected	Non-physically demanding	N1/A	50-75% rating, max 2- or	
		occupation	N/A	5-year BP	
		0-2 years since surgery	N/A	Postpone	
Atrial Septal Defect		2-4 years since surgery with			
(Patent Foramen		full recovery and no residuals or	N/A	25-50% rating	
Ovale)	Surgically corrected before age 20	associated impairments			
		More than 4 years since surgery			
		with full recovery and no residuals	N/A	Usually no modification	
		or associated impairments			
	Others	N/A	N/A	Usually decline	
Cardiomyopathy	N/A	All	N/A	Decline	
	N/A	Diagnosed prior to age 40	N/A	Decline	
Coronary Artery	N/A	With any of the following: tobacco	N/A	Decline	
Disease	IVA	user, depression, atrial fibrillation	IVA	Decilile	
	N/A	Others	N/A	Contact IDI Underwriting	
		Present or full recovery less than	N/A	Postpone	
		1 year	IV/A	Postpone	
Endocarditis	Single attack	Completely recovered more than 1			
Lindocalditis	Oligio attaon	year without recurrence, no other	N/A	Usually no modification	
		cardiac condition and subsequent	IW/A	Osually no mounication	
		normal cardiac follow-up			

Туре	Attribute 1	Attribute 2	Attribute 3	Potential Outcome	
		Present or full recovery less than 3	NI/A	Doctrons	
		years	N/A	Postpone	
		Completely recovered 3-5 years			
		without recurrence, no other	N1/A	05 5004	
		cardiac condition and subsequent	N/A	25-50% rating	
Endocarditis	Multiple attacks	normal cardiac follow-up			
		Completely recovered more than 5			
		years without recurrence, no other	N1/A	l lavalle e a salification	
		cardiac condition and subsequent	N/A	Usually no modification	
		normal cardiac follow-up			
	All	With ejection fraction under 50%	N/A	Decline	
	All	With prosthetic mitral valve	N/A	Decline	
	Others not listed above, no other cardiovascular impairments	Trivial or minimal	N/A	Usually no modification	
Mitrol Dogunaitation		Mild, normal mitral valve, no left			
Mitral Regurgitation		atrial enlargement, no mitral valve	N/A	Usually no modification	
(Insufficiency)		prolapse			
		Mild, others	N/A	50% rating, max 5-year BP	
		Severe	N/A	Decline	
	Others	N/A	N/A	Contact IDI Underwriting	
	N/A	No significant regurgitation on EKG		Usually no modification	
Mitral Valve Prolapse		and no recurrent arrhythmia or	N/A		
wiiti ai vaive Proiapse		other heart disease			
	N/A	Others	N/A	Decline	
Myocardial Infarction	N/A	More than 1 or diagnosed within	N/A	Decline	
Wiyocardiai iiiiaictioii	IV/A	2 years	IV/A	Decime	
	N/A	Present or full recovery less than	N/A	Postpone	
	14/1	1 year	14/1	Ι σοιροπο	
Myocarditis		Single episode, fully recovered			
Wyocardius	N/A	more than 1 year without	N/A	Usually no modification	
	IV/A	recurrence and subsequent normal	I IV/A	Osually no mounication	
		EKG			

Chronic Pain

Туре	Attribute 1	Attribute 2	Potential Outcome
		Multiple areas affected; or with history	
	Comment all	of psychiatric disorders or alcohol or	Decline
	Current, all	substance abuse; or current treatment	Decline
		with prescription medications	
Chronic Pain	Current, cause known	Single affected area, symptoms mild	
Ginoine i ani		and stable, non-prescription adequate	Exclusion of affected area, minimum
		to treat, no time lost from work,	90-day waiting period,** possible max
		no psychiatric or substance abuse	5-year BP
		history	
	All others	N/A	Contact IDI Underwriting

^{**} Elimination Period in California

Diabetes

Туре	Attribute 1	Attribute 2	Potential Outcome
		With any of the following: Under	
		age 30 at time of application,	
		diagnosed greater than 20 years ago,	
	All	hemoglobin A1c (HbA1c) greater than	Decline
	All	9.0, build rating >25%, history of	Decline
		angina pectoris, history of myocardial	
Type 1 Insulin-Dependent Diabetes		infarction, peripheral vascular disease,	
		renal impairments, neuropathy	
	Diagnosed less than 20 years ago,	Age 30 to 45	Individual consideration, usually
	well-controlled, non-smoker, not using	Age 30 to 43	100% rating, max 2-year BP
	insulin pump, build not ratable, no	Over age 45	Individual consideration, usually
	other impairments or concerns	Over age 45	50-100% rating, max 2-year BP
	Others	N/A	Contact IDI Underwriting

Туре	Attribute 1	Attribute 2	Potential Outcome
		With any of the following: Under age	
		35 at time of application, hemoglobin	
		A1c (HbA1c) greater than 9.0, build	
	All	rating >25%, history of angina	Decline
		pectoris, history of myocardial	
Time O New Institit Dependent		infarction, peripheral vascular disease,	
Type 2 Non-Insulin-Dependent Diabetes		renal impairments, neuropathy	
Diabetes	Diagnosed less than 15 years ago, well-controlled, non-smoker, build not ratable, normal lipids and blood pressure, no other impairments or concerns	A = 25 to 40	Individual consideration, usually
		Age 35 to 49	50-75% rating, max 5-year BP
		Over age 49	Individual consideration, usually
		Over age 49	25-50% rating, max 5-year BP
	Others	N/A	Contact IDI Underwriting
Prediabetes	With HbA1c greater than 6.5	N/A	Rate as Type 2 diabetes
rieulabetes	Others	N/A	Contact IDI Underwriting

Ear Disorders

Туре	Attribute 1	Attribute 2	Potential Outcome
		1 or both ears impaired, hearing loss	
		not more than 50%, no occupation-	Usually no modification
	Not progressive	related concerns	
Deafness (Hearing Loss)		Others, no occupation-related	Possible exclusion
		concerns	Possible exclusion
	All	Progressive or with occupation-	25-50% rating, exclusion
		related concerns	
Meniere's Disease	N/A	Present or with symptoms or	Decline
Weiliele's Disease	IVA	treatment within 3 years	
	Evaluated by physician	0-1 year since diagnosis	Postpone
Tinnitus		More than 1 year since diagnosis,	Exclusion
		symptoms mild and not progressive	LAGIUSIOIT
		N/A	Contact IDI Underwriting

Endocrine

Туре	Attribute 1	Attribute 2	Potential Outcome
	Acute, single episode, no residual or	0-3 years since resolution	Postpone
Addison's Disease	resulting problems or conditions, no	More than 3 years since resolution	Contact IDI Underwriting
Audison's Disease	complications, full recovery	Wore than 3 years since resolution	Contact IDI Onderwriting
	Chronic	N/A	Decline
Occabinate Occasions	N/A	Present or within 3 years of last	Decline
Cushing's Syndrome	IVA	treatment	Decinie
Thyroid Disorder —	Operated or treated and under control	0-2 years	Usually exclusion
Hyperthyroidism	N/A	More than 2 years	Usually no modification
nyperunyroidisiii	Present, not controlled	Control not properly established	Decline
Thyroid Disorder — Hypothyroidism	Treated	Good control	Usually no modification
Thyroid Disorder — Trypothyroidishi	Not treated	Minimal symptoms	Usually exclusion

Eye Disorders

Туре	Attribute 1	Attribute 2	Potential Outcome
	Only 1 eye impaired	Not progressive and stable more than 1 year	Usually no modification
		Progressive	Exclusion
Blindness/Vision Loss	Both eyes impaired	Not progressive, mildly low vision when corrected and no occupational concerns	Usually no modification
		Not progressive, moderate to severely low vision when corrected and no occupational concerns	Exclusion
Cataracts	Operated	Full recovery with no visual impairment	Usually no modification
Unoper	Unoperated	1 eye affected	Usually no modification
	Onoperated	Both eyes affected	0-25% rating, exclusion

Туре	Attribute 1	Attribute 2	Potential Outcome
		0-3 months since resolution	Postpone
	Single attack full receivent no known	3 months — 2 years since resolution	Exclusion
Keratitis	Single attack, full recovery, no known	and no residual visual impairment	Exclusion
	cause	More than 2 years since resolution	Llaughy no modification
		and no residual visual impairment	Usually no modification
Keratoconus	N/A	N/A	Exclusion
	N/A	0-1 year following surgery	Exclusion
LASIK Eye Surgery	N/A	More than 1 year and no	Usually no modification
	N/A	complications	Osually no modification
	Vision stable, no history of retinal detachment or laser treatment	0-6 months since diagnosis	Exclusion
Lattice Degeneration		More than 6 months since diagnosis	Usually no modification
Lattice Degeneration		with follow-up eye exam	Osually no modification
	All others	N/A	Exclusion
	Good control	N/A	Exclusion
Primary Glaucoma	Vision unimpaired	IVA	LACIUSIOIT
	Others	N/A	Contact IDI Underwriting
Retinal Detachment	N/A	Unoperated or within 1 year of	Exclusion
	IN/A	operation	LACIUSIOIT
		More than 1 year since operated,	
	N/A	procedure successful, no visual	Usually no modification
		impairment	

Fibromyalgia

Туре	Attribute 1	Attribute 2	Potential Outcome
	Present or more than 1 episode	All cases	Decline
	Single episode of less than 1-year duration, symptoms resolved, no history of psychiatric disorders	0-3 years from complete symptom	Dootnone
Fibromyalgia		resolution	Postpone
		3-7 years from complete symptom	OF FOOV wetter a many O ov F years DD
		resolution	25-50% rating, max 2- or 5-year BP
		More than 7 years from complete	Llough, no modification
		symptom resolution	Usually no modification
	Others	N/A	Decline

Gastrointestinal Disorders

Туре	Attribute 1	Attribute 2	Potential Outcome
	N/A	Well followed with no dysplasia on	Evaluaion
	IV/A	most recent endoscopic biopsy	Exclusion
Barrett's Esophagus		Poorly followed or with findings of	
	N/A	dysplasia on most recent endoscopic	Decline
		biopsy	
	NI/A	1 or more hyperplastic polyp(s) or 1	I levelly ne medification
Colon Polyps	N/A	adenomatous polyp in history	Usually no modification
	N/A	More than 1 adenomatous in history	Exclusion
		0-2 years since diagnosis	Postpone
	Mild	More than 2 years since diagnosis	25-50% rating, exclusion, max
		wore than 2 years since diagnosis	5-year BP
	Moderate or with history of 2 or loss	0-3 years since diagnosis	Postpone
	Moderate or with history of 2 or less surgeries	More than 3 years since diagnosis	50% rating, exclusion, max 2- or
Crohn's Disease			5-year BP
	Severe; or with history dysplasia on		
	biopsy; or with history of 3 or more	N/A	Decline
	surgeries; or illness affecting areas		Decime
	other than GI tract		
	Others	N/A	Contact IDI Underwriting
Diverticulitis/Diverticulosis	N/A	Present or in history	Usually no modification
	Unknown cause	Mild, controlled with medication	Usually no modification
Esophagitis	Officiowit cause	Moderate to severe	Exclusion
	Eosinophilic Esophagitis (EoE)	N/A	Exclusion
Gastroesophageal Reflux (GERD)	N/A	Mild symptoms	Usually no modification
dustroesophagear Heriux (GEND)	N/A	Moderate to severe	Exclusion
Ulcer		Present or 0-1 year since complete	Exclusion
	Single episode, unoperated	resolution	LAGIGORI
		More than 1 year since complete	Usually no modification
		resolution	Osually no modification

Туре	Attribute 1	Attribute 2	Potential Outcome
		0-6 months since a diagnosis; or 0-1	Postpone
	All	year since surgical treatment	Postpone
	All	Persistent symptoms; or with severe	Decline
		symptoms during relapses	Decilie
Illogrative Colitie /I off Sided or		Stable, regularly followed by physician	
Ulcerative Colitis (Left-Sided or	Left-sided colitis	with timely colonoscopies and no	Exclude
Pancolitis)		history of dysplasia on biopsies	
	Pancolitis	Stable, regularly followed by physician	OF FOOM waters and haring
		with timely colonoscopies and no	25–50% rating, exclusion,
		history of dysplasia on biopsies	max 5-year BP
	Others	N/A	Contact IDI Underwriting
		0-6 months since diagnosis	Postpone
Ulcerative Proctitis		More than 6 months since diagnosis,	
	Mild to moderate	stable, regularly followed by physician	Evolucion
		with timely colonoscopies and no	Exclusion
		history of dysplasia on biopsies	

Kidney Disorders/Urologic Disorders

Туре	Attribute 1	Attribute 2	Potential Outcome
Adult Polycystic Kidney Disease (APKD)	N/A	All cases	Decline
	Chronic Interestition Cycetitie	Present	Postpone
Cystitis, Chronic Interstitial Cystitis	Chronic Interstitial Cystitis	Resolved, full recovery	Exclusion or no modification
	Cystitis	All	Usually no modification
	Unoperated	Present and symptomatic or surgery	Postpone
Kidney Stones		being considered	Postpone
		Present and asymptomatic	Exclusion
		1-2 episodes in history with complete	Llavally no modification
		resolution and recovery	Usually no modification

Туре	Attribute 1	Attribute 2	Potential Outcome
	Operated	Single operation with complete resolution and recovery	Usually no modification
Kidney Stones		More than 1 operation	Decline
	Others	N/A	Contact IDI Underwriting
	Remaining kidney normal, urinalysis	0-1 year since surgery	Postpone
Nephrectomy	and blood pressure normal, not due	1-3 years since surgery	Exclusion, max 5-year BP
	to malignancy	More than 3 years since surgery	Usually no modification
	Dragant no aymptoma no malignanay	Slight enlargement, up to age 50	Usually no modification
Proctate Enlargement/Hymerplacia	Present, no symptoms, no malignancy	Other	Exclusion
Prostate Enlargement/Hyperplasia (BPH)	In history, operated	0-6 months since surgery	Postpone
		More than 6 months, no residuals, normal labs	Usually no modification

Liver and Pancreas Disorders

Туре	Attribute 1	Attribute 2	Potential Outcome
Cirrhosis of Liver	N/A	All	Decline
Nanalashalia Fatty Liver	Dropont or in history	No concerning alcohol use and	I lought no modification
Nonalcoholic Fatty Liver	Present or in history	LFTs normal	Usually no modification
	B or C	Need occupation, dates and	
Honotitio		treatment details including, but not	Contact IDI I Indomwiting
Hepatitis		limited to, all lab testing, follow-up	Contact IDI Underwriting
		and biopsies	
Hepatomegaly (Liver Enlargement)	N/A	Slight enlargement and LFTs normal	0-25% rating
Pancreatitis	N/A	Present or diagnosed within 1 year	Postpone

Lyme Disease

Туре	Attribute 1	Attribute 2	Potential Outcome
Lyme Disease	N/A	Present or diagnosed within 1 year	Postpone

Marijuana

Туре	Attribute 1	Attribute 2	Potential Outcome
	Recreational use, stable work history, no current depression or anxiety, or history of drug or alcohol misuse or abuse	Not more than 3 times per week	Usually no modification
Marijuana	Recreational use, stable work history, no current depression or anxiety, or history of drug or alcohol misuse or abuse	Not more than 6 times per week	50-75% rating, max 5-year BP
	Others	N/A	Decline

Mental Nervous Disorders

Туре	Attribute 1	Attribute 2	Potential Outcome	
Adjustment Disorder	N/A	N/A	Exclusion to decline	
	Current use	N/A	Decline	
Alcoholism	In history, no valence no accepted	0-5 years since last use	Decline	
Alcoholism	In history, no relapse, no associated	5-7 years since last use	50-100% rating, max 2-year BP	
	illness and normal lab results	More than 7 years since last use	0-50% rating	
Anorexia Nervosa	N/A	Current or treatment within 5 years	Decline	
	Mild to moderate	N/A	Exclusion	
Anviote		Less than 2 years since diagnosis	Postpone	
Anxiety	Severe	More than 2 years since diagnosis	Evaluaion may 0, au 5 year DD	
		and stable on medication	Exclusion, max 2- or 5-year BP	

Туре	Attribute 1	Attribute 2	Potential Outcome	
		No other psychiatric conditions,		
	NI/A	stable treatment history and work	Fuchacian	
	N/A	history, no substance abuse, well	Exclusion	
Attention Deficit Disorder/ Attention		followed by physician		
Deficit Hyperactivity Disorder (ADD/		With other psychiatric conditions,		
ADHD)	NI/A	stable treatment history and work	Exclusion, possible max 2- or	
	N/A	history, no substance abuse, well	5-year BP	
		followed by physician		
	N/A	Others	Contact IDI Underwriting	
	N/A	Less than 3 years since diagnosis	Postpone	
Pinelay Dineyday		More than 3 years with a stable		
Bipolar Disorder	N/A	pattern of good control and no history	Exclusion, max 5-year BP	
		drug/alcohol abuse		
Chronic Fatigue	N/A	Present or treatment within 2 years	Decline	
	All	N/A	Minimum 90 day waiting period	
	Mild to moderate, present with stable	Less than 1 year since diagnosis	Exclusion, max 5-year BP	
	pattern of good control and no history		Exclusion, possible 5-year BP	
	of drug/alcohol abuse, no more than	More than 1 year since diagnosis		
Depression	2 medications			
	Major, present with stable pattern of	Less than 2 years since diagnosis	Postpone	
	good control and no history of drug/	2-5 years since diagnosis	Exclusion, max 5-year BP	
	alcohol abuse, no more than	More than 5 years since diagnosis	Exclusion, possible 5-year BP	
	2 medications	Word than 5 years since diagnosis	Exclusion, possible o year bi	
	Current use	Other than alcohol or marijuana	Decline	
		Less than 5 years since last use	Decline	
Drug Use or Abuse	In history, no mental disorder history	5-7 years since last use	25-75% rating, max 5-year BP	
Drug Ose of Abuse		More than 7 years since last use	Usually no modification	
	Multiple types of drugs abused	0-10 years since last use	Decline	
	maniple types of drugs abused	More than 10 years since last use	Individual consideration	
Suicidal Ideation	N/A	Within 2 years	Decline	
Suicide Attempts	N/A	Single attempt within 5 years or	Decline	
Calcino / tetoripeo		multiple attempts	20010	

Musculoskeletal Disorders

Туре	Attribute 1	Attribute 2	Potential Outcome
	Sprain	Low grade, full recovery	Usually no modification
		Surgery with hardware	Exclusion
Ankle	Erecture tendinopathics	Low grade, full recovery Surgery with hardware 0-1 year since surgery, no hardware More than 1 year since surgery, no hardware 0-3 years since resolution of symptoms and end of treatment More than 3 years since resolution of symptoms and end of treatment, no occupational concerns 0-5 years since resolution of symptoms and end of treatment More than 5 years since resolution of symptoms and end of treatment More than 5 years since resolution of symptoms and end of treatment More than 5 years since resolution of symptoms and end of treatment More than 1 year since resolution and end of treatment More than 1 year since resolution of symptoms and end of treatment More than 1 year since resolution of symptoms and end of treatment More than 1 year since resolution of symptoms and end of treatment, no occupational concerns N/A 0-1 year since resolution More than 1 year since resolution More than 1 year since resolution More than 1 year since resolution More than 2 years since resolution, no occupational concerns 10-2 years since resolution More than 2 years since resolution, no occupational concerns In history, single episode	Exclusion
	Fracture, teridinopatriles		Usually no modification
			Osually no modification
		0-3 years since resolution of	Exclusion
	Unoperated single episode no	symptoms and end of treatment	EXCIDSION
		More than 3 years since resolution of	
	Continuing therapy	symptoms and end of treatment, no	Usually no modification
	Symptoms and end of treatment, no occupational concerns Unoperated, recurrent episodes, no continuing therapy Symptoms and end of treatment More than 5 years since resolution of symptoms and end of treatment, no occupational concerns		
		0-5 years since resolution of	Exclusion
	Unaparated requirement epigodes no	symptoms and end of treatment	EXCIUSION
Back/Neck		More than 5 years since resolution of	
Disc Involvement		symptoms and end of treatment, no	Usually no modification
		occupational concerns	
		0-1 year since resolution and end of	Exclusion
	Operated no continuing therapy or	treatment	EXCIDSION
		More than 1 year since resolution of	
	residuais	symptoms and end of treatment, no	Usually no modification
		occupational concerns	
	Degenerative disc disease	N/A	Exclusion
	Single episode 1 week or less off	0-1 year since resolution	Exclusion
		More than 1 year since resolution, no	Usually no modification
Back/Neck Sprain-Strain	work, full recovery	occupational concerns	Coddily no medinodion
No Disc Involvement	More than 1 episode or 1 lasting more	0-2 years since resolution	Exclusion
	,	More than 2 years since resolution, no	Usually no modification
	and I wook, fair root or y	occupational concerns	Codding the modification
		In history, single episode	Usually no modification
Bursitis/Synovitis/Tenosynovitis	Not Rheumatic	Present, or 2 or more episodes in	Exclusion
		history	LAGISCIO!

Туре	Attribute 1	Attribute 2	Potential Outcome	
		Present	Postpone	
		In history, not disabling,	Usually no modification	
Bursitis/Synovitis/Tenosynovitis	Rheumatic	single episode	Osually no modification	
bursius/syriovius/ renosyriovius	Tilleumatic	Disabling, or recurrent 0-1 year	Postpone	
		since resolution	rostpone	
		Others	Contact IDI Underwriting	
	Present	N/A	Exclusion	
		0-1 year since resolution of	Exclusion	
Carpal Tunnel Syndrome	In history, full recovery	symptoms and end of treatment	Exclusion	
	in thistory, full recovery	More than 2 years since resolution of	Usually no modification	
		symptoms and end of treatment	Osually no modification	
Chiropractic Treatment,				
Adjustment, Maintenance or	N/A	Present or within past year	Exclusion	
Wellness				
Deviated Septum	N/A	Present or in history	Usually no modification	
	N/A	Present	Exclusion	
Dupuytren's Contracture	N/A	In history, operated, no residual	Usually no modification	
	IVA	problems	Osually no modification	
	N/A	Mild to moderate	Exclusion, possible rating	
Gout	N/A	Severe or chronic plus cardiovascular	Decline	
dout	14//	or renal abnormalities	Boomie	
	Others	N/A	Contact IDI Underwriting	
Hip	Replacement	Full recovery, back to work full time	Exclusion	
	періасентені	without restrictions	Z.C.GOIOTT	
		Single episode, no ligament or		
Knee	Strain	cartilage damage, 1 week or less off	Usually no modification	
		work, full recovery		

Туре	Attribute 1	Attribute 2	Potential Outcome
		Lasting more than 1 week or more	
		than 1 episode or torn cartilage with	Exclusion
(noo	Others	no surgery, 0-3 years	
Knee	Others	Lasting more than 1 week or more	
		than 1 episode or torn cartilage and	Exclusion
		surgery, 0-1 year	
Mixed Connective Tissue Disease	N/A	N/A	Decline
(MCTD)	IN/A	IVA	Decilie
	N/A	Mild to moderate, 1 or 2 joints	Exclusion
Osteoarthritis	IN/A	affected	EXCIUSION
	N/A	Severe or involving 3 or more joints	Usually decline
	N/A	Well followed, compliant with	Exclusion
Osteoporosis/Osteopenia	IV/A	treatment	
Osteoporosis/ Osteoperiia	N/A	More than 2 fractures or not	Decline
		compliant with therapy	Decimie
Plantar Fasciitis	N/A	Present	Exclusion
	Mild to moderate, symptoms well	0-2 years since diagnosis	Postpone
	controlled, no joint damage, treated		25-50% rating, exclusion, max
	only with first-line therapies, no	More than 2 years since diagnosis	5-year BP
Psoriatic Arthritis	occupational concerns		3-year br
	Severe; or symptoms progressive; or	N/A	Decline
	not well controlled	IVA	Decimie
	Others	N/A	Contact IDI Underwriting
	Mild to moderate, well followed	0-2 years since diagnosis	Postpone
	by physician, stable with minimal		
Rheumatoid Arthritis	or no symptoms, no indicators of	More than 2 years since diagnosis	0-50% rating, exclusion, max 5-year
Aneumatolu Artiinus	progressive disease, no occupational	Wore than 2 years since diagnosis	BP
	concerns		
	Others	N/A	Decline

Туре	Attribute 1	Attribute 2	Potential Outcome
	Present	N/A	Exclusion
		0-1 year since resolution	Exclusion
	History 1 episode	More than 1 year since last symptoms	Usually no modification
Sainting Dadiculitie		N/A 0-1 year since resolution More than 1 year since last symptoms and treatment, no disc involvement 0-3 years since resolution More than 3 years since last symptoms and treatment, no disc involvement More than 3 years since last symptoms and treatment, no disc involvement Mild, no symptoms Moderate symptoms Severe or progressive 0-1 year since surgery More than 3 years since surgery Less than 5 years since surgery More than 5 years stable mild to no symptoms N/A Rotator cuff, impingement or tear, past or present Other conditions, within 1 year of treatment or symptoms More than 1 year since surgically repaired or healed, asymptomatic, single episode More than 1 episode Present, or currently symptomatic, or	Osually no modification
Sciatica, Radiculitis		0-3 years since resolution	Exclusion
	History of multiple epicodes	More than 3 years since last	
	History of Hulliple episodes	symptoms and treatment, no disc	Usually no modification
		N/A 0-1 year since resolution More than 1 year since last sympto and treatment, no disc involvement 0-3 years since resolution More than 3 years since last symptoms and treatment, no disc involvement Mild, no symptoms Moderate symptoms Severe or progressive 0-1 year since surgery More than 3 years since surgery Less than 5 years since surgery More than 5 years stable mild to no symptoms N/A Rotator cuff, impingement or tear, past or present Other conditions, within 1 year of treatment or symptoms More than 1 year since surgically repaired or healed, asymptomatic, single episode More than 1 episode Present, or currently symptomatic, surgical repair within 1 year More than 1 year since last symptomatic, surgical repair within 1 year	
		Mild, no symptoms	Usually no modification
	Not operated	Moderate symptoms	Exclusion
		Severe or progressive	Decline
	Treated with apinal fusion	0-1 year since surgery	Postpone
Scoliosis	Treated with spinal fusion	More than 3 years since surgery	Exclusion
	Harrington Rods	Less than 5 years since surgery	Postpone
		More than 5 years stable mild to no	Exclusion
		symptoms	LACIUSIOII
	Other	N/A	Contact IDI Underwriting
		Rotator cuff, impingement or tear,	Exclusion
		past or present	LACIUSIOIT
		Other conditions, within 1 year of	Exclusion
	Occupation dependent on upper	treatment or symptoms	LACIUSIOIT
	extremity use	More than 1 year since surgically	
Shoulder		repaired or healed, asymptomatic,	Contact IDI Underwriting
Shoulder		single episode	
		More than 1 episode	Exclusion
		Present, or currently symptomatic, or	Exclusion
	Occupation not dependent on upper	surgical repair within 1 year	LAGIGSIOH
	extremity use	More than 1 year since last symptoms	Usually no modification
		and treatment	Osually 110 mounication

Туре	Attribute 1	Attribute 2	Potential Outcome
TMJ (Temporomandibular Joint Syndrome)	·	Mild to moderate, 0-5 years since	Exclusion
		resolution	Exclusion
		Severe symptoms; or with history of	
		psychiatric disorders; or treated with	Decline
		multiple surgeries	

Neurological Disorders

Туре	Attribute 1	Attribute 2	Attribute 3	Potential Outcome
Amyotrophic Lateral Sclerosis (ALS)	N/A	N/A	N/A	Decline
Ataxia	N/A	N/A	N/A	Decline
Carabral Hamarrhaga	Within 5 years	N/A	N/A	Decline
Cerebral Hemorrhage	Others	N/A	N/A	Contact IDI Underwriting
Cerebral Palsy	N/A	Minimal involvement, working full time, no mental defect	N/A	0-25% rating, max 5-year BP
	N/A	Other	N/A	Decline
	1 episode, unconscious less than 1 hour, no skull fracture, full recovery, no residual issues	0-3 months since episode	N/A	Postpone
	no residual issues	More than 3 months since episode	N/A	Usually no modification
Concussion		0-2 years since episode	N/A	Postpone
	1 episode, skull fracture, full recovery, no residual issues	2-5 years since episode	N/A	25-75% rating, max 2- or 5-year BP
		More than 5 years since episode	N/A	Usually no modification
Dementia	N/A	N/A	N/A	Decline
Encephalitis	N/A	Present; or recurrent episodes; or in history with residuals	N/A	Decline
Guillian-Barre Syndrome	N/A	Present or within 1 year since full recovery	N/A	Decline

Туре	Attribute 1	Attribute 2	Attribute 3	Potential Outcome
Guillian-Barre Syndrome	N/A	More than 1 year since full recovery, no recurrence	N/A	Usually no modification
	N/A	Mild, 1–2 episodes per month, not increasing in frequency or severity or impacting daily living or work	N/A	Usually no modification
Headache, Migraine	N/A	Moderate, 7 or less episodes per month, not increasing in frequency or severity	N/A	Exclusion
	N/A	Others	N/A	Contact IDI Underwriting
Multiple Sclerosis (MS)	N/A	N/A	N/A	Decline
	Mild, good response to	0-6 months since last symptoms	N/A	Postpone
	medication, no occupational concerns or driving criticism	More than 6 months since last symptoms	N/A	0-25% rating
Narcolepsy	Uncontrolled or non-compliant with treatment	N/A	N/A	Decline
	Others	N/A	N/A	Contact IDI Underwriting
Paralysis	(hemiplegia, paraplegia, quadriplegia, quadriparesia)	All	N/A	Decline
	Intermittent, no impact on quality of life, not worsening	0-2 years since diagnosis; or medication used 5 times or more per month	N/A	50% rating, exclusion, max 5-year BP
Restless Leg		Diagnosed more than 2 years and		
Syndrome	N/A	medication used less than 5 times per month	N/A	50% rating, exclusion
	N/A	Daily prescription use	N/A	Decline
	Others	N/A	N/A	Contact IDI Underwriting

Туре	Attribute 1	Attribute 2	Attribute 3	Potential Outcome
	All	Poor control; or not compliant with treatment; or history of alcohol abuse; or occupational concerns; or more than 2 medications needed for control	N/A	Decline
		All	0-2 years since diagnosis	Decline
			2-4 years since diagnosis	0-25% rating
		No seizure in past 2 years	More than 4 years since diagnosis	Usually no modification
	Partial or focal seizures	Others with less than 6 seizures per year	2-4 years since diagnosis	50-75% rating, max 5-year BP
Seizure Disorder/ Epilepsy		N/A	More than 4 years since diagnosis	25-75% rating, possible 5-year BP
		All	0-3 years since diagnosis	Decline
	Generalized, myoclonic, clonic- tonic or atonic seizures (grand mal)	No seizure in past 2 years	3-5 years since diagnosis	25-75% rating, possible 5-year BP
			More than 10 years since diagnosis	Usually no modification
			3-5 years since diagnosis	25-75% rating, possible 5-year BP
		Others with less than 6 seizures	5-10 years since	25-75% rating, possible
		per year	diagnosis	5-year BP
			More than 10 years since diagnosis	25-50% rating, possible 5-year BP

Туре	Attribute 1	Attribute 2	Attribute 3	Potential Outcome
		All	0-2 years since diagnosis	Decline
		No soizure in poet 2 veers	2-5 years since diagnosis	25-50% rating, possible 5-year BP
Seizure Disorder/	Petit mal, absence seizures	No seizure in past 2 years	More than 5 years since diagnosis	Usually no modification
Epilepsy		Others with less than 6 seizures per year	2-5 years since diagnosis	50-75% rating, max 5-year BP
		N/A	More than 5 years since	25-50% rating, possible
			diagnosis	5-year BP
	All	0-5 years since attack	N/A	Postpone
Stroke	ke Single attack, no residual or resulting problems or conditions, no complications, fully recovered,	5-10 years since attack	N/A	100-150% rating, max 2-year BP
	working full time in usual occupation, non-smoker	More than 10 years since attack	N/A	75-100% rating, max 2-year BP
Syncope	Single incident, cause unknown, well investigated, no cardiovascular or neurological disease	More than 6 months since incident	N/A	0-25% rating
	Recurrent or severe episode	0-3 years since last incident	N/A	Postpone
	All	0-2 years since attack	N/A	Postpone
TIA	Single attack, no residual or resulting problems or conditions, no complications, fully recovered,	2-5 years since attack	N/A	75-100% rating, max 2- or 5-year BP
	working full time in usual occupation, non-smoker	More than 5 years since attack	N/A	50-75% rating, max 5-year BP

Obesity

See Build Chart

Obstetrics and Gynecology

Туре	Attribute 1	Attribute 2	Potential Outcome
		Current or ongoing evaluations or	
Fertility Treatment or Infertility	N/A	fertility treatment or future treatment	Exclusion
		likely	
	Currently pregnant	No complications	Exclusion
Dwagnanay		With complications	Postpone
Pregnancy	Pregnancy in history	With history of complications or	Exclusion
		cesarean section (C-section)	EXCIDSION

Organ Transplant Recipient

Decline

Respiratory Conditions

Туре	Attribute 1	Attribute 2	Potential Outcome
Asthma	Mild, infrequent symptoms, rescue inhaler less than 2x per week	N/A	Usually no modification
	Moderate or persistent, stable and well followed	N/A	0-25% rating, possible exclusion
	Smoker	If otherwise eligible	25% rating, exclusion, max 5-year BP
	Severe	N/A	Decline
	Others	N/A	Contact IDI Underwriting
Chronic Obstructive Pulmonary Disease (COPD)	Early stages	Non smoker, no continued exposure to irritants	25-50% rating and max 5-year BP
	Others	N/A	Decline
Sarcoidosis	N/A	Present or treatment within 2 years	Decline

Туре	Attribute 1	Attribute 2	Potential Outcome
Sleep Apnea	All	Moderate or severe and not compliant with treatment; or with build rating more than 50%; or with CAD or significant arrhythmia; or with significant alcohol use	Decline
	Mild, compliant with treatment (e.g., CPAP), no complaints of daytime sleepiness or other unfavorable factors	N/A	Usually no modification
	Moderate, compliant with treatment (e.g., CPAP), no complaints of daytime sleepiness or other unfavorable factors	0-2 years since treatment began	50% rating
	N/A	More than 2 years since treatment began	Usually no modification
	Severe, compliant with treatment (e.g., CPAP), no complaints of daytime sleepiness or other unfavorable factors	0-2 years since treatment began	Postpone
	N/A	More than 2 years since treatment began	50% rating, max 5-year BP

Retroviruses

Туре	Attribute 1	Attribute 2	Potential Outcome
HIV/AIDS		AIDS diagnosis; or HIV diagnosis	
		in the past year; or on antiretroviral	
	All	(ART) treatment less than 1 year; or	Decline
	All	viral load undetectable for less than Decline	Decline
		1 year; or with history of drug or	
		alcohol abuse	
	Others	N/A	Contact IDI Underwriting

Scleroderma

Decline

Skin Conditions

Туре	Attribute 1	Attribute 2	Potential Outcome
Dermatitis or Eczema	Occupational related or severe	N/A	Exclusion
	Others	N/A	Usually no modification
	N/A	Occupational related — skin rash only	Exclusion
Lotox Alloren		Systemic manifestations (e.g.,	
Latex Allergy	N/A	respiratory and upper airway distress,	Decline
		hives, etc.)	
		0-1 year since the diagnosis	Postpone
	Mild treated only with single	More than 1 year since diagnosis,	
	Mild, treated only with single,	only affects small area and is stable	F. J. St.
	topical therapy	with first-line therapy, psoriatic	Exclusion
		arthritis not suspected or diagnosed	
		0-1 year since the diagnosis	Postpone
		0-1 year since the diagnosis Postpone 1-5 years since onset, stable with	
Plaque Psoriasis		first- and second-line therapies,	0-25% rating, exclusion, max 5-year
	National and a second a second and a second	psoriatic arthritis not suspected or	BP
	Mild to moderate, treated only with	diagnosed	
	2 or more topical therapies	More than 5 years since onset, stable	
		with first- and second-line therapies,	Finalisate
		psoriatic arthritis not suspected or	Exclude
		diagnosed	
	Others	N/A	Contact IDI Underwriting

Systemic Lupus Erythematosus (SLE)

Thrombosis

Туре	Attribute 1	Attribute 2	Potential Outcome
	Present	N/A	Postpone
	Single episode, full recovery, no	0-1 year since episode	50% rating
	residual problems, no edema	More than 1 year since episode	Usually no modification
Deep Vein Thrombosis/	Single episode, with persisting edema	Mild edema	Exclusion
	Single episode, with persisting edema	Moderate edema	Decline
Thrombophlebitis	Recurrent episodes, on chronic	0-2 years since last episode	Postpone
	anticoagulation meds, no episodes	2-3 years since last episode	50% rating, possible exclusion
	while on medication and medication regimen stable	More than 3 years since last episode	Contact IDI Underwriting
	Single attack following trauma	0-6 months since attack	Postpone
Pulmonary Embolism	or surgery, full recovery, no complications or residual problems	More than 6 months since attack	Usually no modification
Varicose Veins, Legs	Mild	Present, no ulcer or edema and not	Usually no modification
	IVIIIG	disabling, no support worn	Osually no mounication
		Support worn and no other	Exclusion
	Moderate to severe	complications	Exclusion
		Severe with ulceration	Decline
	Operated, full recovery	0-6 months since surgery	Exclusion
	Operated, full recovery	More than 6 months since surgery	Usually no modification

Travel & Visas

Туре	Attribute 1	Attribute 2	Potential Outcome
Foreign Travel	N/A	N/A	Contact IDI Underwriting
Immigrants	Green card	N/A	Usually no modification
	Descrit immigrants on vice reciding in	H Visa, J Visa, L Visa, O Visa and	Foreign Travel Evaluation
	Recent immigrants on visa, residing in the U.S. for at least 1 year	TN Visa	Poreign fraver Exclusion
	the 0.5. for at least 1 year		Contact IDI Underwriting

Tumors and Cancer

Туре	Attribute 1	Attribute 2	Potential Outcome
		Cancers diagnosed as stage 4;	
	All	cancers of the brain, liver or pancreas;	Decline
	All	leukemia diagnosed after age 17; or	Decilie
		low grade non-Hodgkin's lymphoma	
		Other tumors/cancers may be	
		uninsurable. Please contact IDI	
		Underwriting with the following	
Tumors and Cancer		Underwriting with the following information:Type of tumor or cancer	
	Others	 Pathology 	Contact IDI Underwriting
		 Location 	
		Age at diagnosis	Contact IDI Underwriting
		Staging (if malignant)	
		Treatment	
		Date of last treatment	

Other Ineligible Circumstances

- Anyone currently on court-ordered probation
- Anyone with felony or violent crime conviction
- Bankruptcy discharged within 2 years
- Currently in active military service
- Working less than 30 hours per week
- Working in marijuana industry

